



PORT

OFF-THE-ROAD SOLUTIONS



BRIDGESTONE

Firestone



A TIRE LINE UP AS UNIQUE AND SPECIALIZED AS YOUR INDUSTRY.

We understand the complexities of ports and the diverse equipment required to keep your operations moving efficiently. That's why we offer a complete line up of Bridgestone and Firestone tires in both bias and radial options, so you can focus on moving more.

PORT AND INDUSTRIAL EQUIPMENT FITMENT




LIFT TRUCKS
EMPTY CONTAINER HANDLERS



LOADED CONTAINER
HANDLERS



STRADDLE CARRIERS



HARBOR CRANES



RUBBER TIERED
GANTRY CRANES



AUTOMATED
GUIDED VEHICLES



BRIDGESTONE RADIAL TIRES



BRIDGESTONE BIAS TIRES



FIRESTONE BIAS TIRES



EXTRA LONG LIFE


RADIAL CONSTRUCTION

Special belt package (steel)

Body ply (steel)

Bead (steel)

Special tread compound




BIAS CONSTRUCTION

Carcass plies (nylon)

Bead (steel)

Tread Life Comparison By Pattern



BRIDGESTONE RADIAL TIRE LINE UP



TIRE SIZE	PATTERN	TYPE	STAR RATING	APPROXIMATE INFLATED DIMENSIONS				OTD
				OVERALL DIAMETER		OVERALL WIDTH		
				MM	INCH	MM	INCH	MM
12.00R20	VCH	T/T	★★★	1,140	44.9	315	12.4	29.5
	VCHS	T/T	★★★	1,139	44.8	297	11.7	41.5
12.00R24	VCH	T/T	★★	1,254	49.4	323	12.7	29.5
	VCHS	T/T	*	1,263	49.7	310	12.2	42.0
14.00R24	VHB	T/T	★★★	1,357	53.4	383	15.1	23.5
	VCH	T/T	★★★	1,393	54.8	390	15.4	32.0
	VCHS	T/T	★★★	1,412	55.6	383	15.1	63.0
14.00R24TG	VCHS	T/L	★★★	1,412	55.6	383	15.1	63.0
16.00R25	VHB	T/L	★★★	1,484	58.4	440	17.3	22.5
	VCHD	T/L	★★	1,500	59.1	435	17.1	54.0
	VCHR	T/L	★★	1,504	59.2	435	17.1	50.0
	VRLS	T/L	★★	1,531	60.3	448	17.6	45.0
18.00R25	VHB	T/L	*	1,610	63.4	515	20.3	26.0
	VEL	T/L	★★	1,609	63.3	507	20.0	34.0
	VCHS	T/L	★★★	1,650	65.0	504	19.8	64.0
	VSMS	T/L	★★★	1,681	66.2	512	20.2	84.5
23.5R25	VSDL	T/L	★★★	1,672	65.8	608	23.9	87.0
18.00R33	VCHS	T/L	★★	1,856	73.1	508	20.0	68.5

*Compliant with the ETRTO standard for industrial tires.

BRIDGESTONE BIAS TIRE LINE UP



TIRE SIZE	PATTERN	PLY RATING	APPROXIMATE INFLATED DIMENSIONS				OTD
			OVERALL DIAMETER		OVERALL WIDTH		
			MM	INCH	MM	INCH	MM
14.00-24	RL	24/28	1,366	53.8	387	15.2	28.0
14.00-24 TG	RL	24	1,360	53.5	395	15.6	28.0
18.00-25	STMS	40	1,675	65.9	520	20.5	84.0
18.00-25	ELS2	40	1,685	66.3	508	20.0	66.5
18.00-33	ELS2	36	1,878	73.9	515	20.3	66.5

FIRESTONE BIAS TIRE LINE UP



TIRE SIZE	PATTERN	PLY RATING	APPROXIMATE INFLATED DIMENSIONS				OTD
			OVERALL DIAMETER		OVERALL WIDTH		
			MM	INCH	MM	INCH	32ND
18.00-25	PT	40	1,679	66.1	531	20.9	69
	SRG DT	40	1,638	64.5	508	20.0	69
26.5-25	SRG	44	1,748	68.8	704	27.7	44
18.00-33	SGR DT	44	1,852	72.9	516	20.3	69
30-33	SRG DT LD	46	1,890	74.7	739	29.1	67
33.5-33	SRG DT	50	2,296	90.4	851	33.5	86
37.5-33	SRG DT	54	2,421	95.3	953	37.5	91
65/35-33	SRG DT LD	42	2,103	82.8	881	34.7	72
21.00-35	SRG DT	40	2,035	80.1	582	22.9	67
33.25-35	PTLD	50	2,276	89.6	866	34.1	53
	SRG DT	50	2,266	89.2	864	34.0	86



BRIDGESTONE OFF-THE-ROAD SOLUTIONS

Intelligent Products

The Bridgestone OTR lineup of intelligent products offers the reliable performance our customers expect, and the productivity it takes to meet their current and emerging needs.



Integrated Technologies

Bridgestone OTR offers integrated technology that turns your underground hard rock tires into real-time data sources, increasing fleet production and reducing overall cost per mile.

PRESSURE **STAT**™

PressureStat™ allows you to actively monitor tire pressure and temperature for your entire fleet with real-time alerts to help prevent issues before they cut into your bottom line.



Designed to integrate fully with PressureStat™, the TreadStat™ tire and rim management solution enables you to make real-time decisions and share data instantly, anywhere in the world.

Best-in-class Service

We know that the best products and technologies only stay the best when paired with best-in-class service. Our extensive dealer network, comprehensive training programs, and highly qualified field engineers help improve tire performance and reduce equipment downtime so our off-the-road customers can focus on getting the job done.

